



## RoadRunner™

The RoadRunner™ System provides fast, accurate weight readings for a variety of light to medium applications. Each system is designed to transport easily to weigh sites and set-up in a matter of minutes. Using the digital indicator, the operator can display the weight of each pad individually, or the total of any combination of pads. Options for the system include an external batter charger and an external printer.





## FEATURES

# RoadRunner™ JACKPOINT SYSTEM

System capacity range covering 15,000 to 400,000 pounds

Accuracy of  $\pm 0.1\%$  of applied load, or  $\pm 0.02\%$  of channel capacity, whichever is greater

Adaptable to all Jack designs

4 channel indicator

Easy to read display

Lb. or kg readout

Stainless steel hermetically sealed load cells

Display individual load cell or total weight or any combination

Indicator powered by internal rechargeable battery



## Individual System Description

Model	JP5000-3	JP5000-4	JP150
No. of Load Cells	3	4	3
Cell Capacity (lb)	5,000	5,000	15,000
System Capacity (lb)	15,000	20,000	45,000
Part Number	91-01635	9101640-01	9101605-01
Resolution (lb)	1	1	1
System Weight (lbs.)	55	59	67
System Dimensions (in.)	30 x 20 x 11		

Model	JP15000-4	JP50000-3	JP50000-4
No. of Load Cells	4	3	4
Cell Capacity (lb)	15,000	50,000	50,000
System Capacity (lb)	60,000	150,000	200,000
Part Number	9102150-01	9101610-01	9102000-01
Resolution (lb)	1	10	10
System Weight (lbs.)	72	72	77
System Dimensions (cm)	30 x 20 x 11		

Model	JP100000-3	JP100000-4
No. of Platforms	3	4
Cell Capacity (lb)	100,000	100,000
Kit Capacity (lb)	300,000	400,000
Part Number	9102020-01	9102140-01
Resolution (lb)	10	10
System Weight (lbs.)	85	95
System Dimensions (cm)	30 x 20 x 11	

